



ROAD FORCE



Motorcycle

TRAILERS

16'

When you see a trailer like this one, you understand what a motorcycle trailer ought to be. Low and sleek and striking. It just commands attention. Beyond impressive styling, the Road Force V-Front motorcycle trailer appreciates the need to protect and pamper your ride: wheel chocks, floor/wall tie-downs, and Torflex® rubber torsion axles for a smooth journey. In many ways the interior is as impressive as the exterior — rubber RTP flooring, white vinyl sidewall liner and ceiling. Built to last and designed to impress. Other popular options for a custom ride include aluminum wheels, multi-color exterior, aluminum ATP flooring and helmet cabinets.




Model RFVMC7X162 with optional 2-Tone Exterior, Aluminum Wheels and Aluminum ATP Covered Flooring & Ramp Door



Optional ATP Covered Ramp Door & Extension



Chrome Bottom Panels




Silver Spoke Wheels with Chrome Hub Cover & Trim Ring



Drop-Down Stabilizer Jacks



32" Beavertail (Shown with optional ATP)



Wheel Chocks and D-Rings



Stylish Tribal Graphics

SPECIFICATIONS	RFVMC7X122	RFVMC7X142	RFVMC7X162
SIZES	7'x12'	7'x14'	7'x16'
Body Length:	13'7"	15'7"	17'7"
Body Width:	7'0"	7'0"	7'0"
Overall Length:	15'8"	17'8"	19'8"
Overall Width:	8'6"	8'6"	8'6"
Overall Height:	6'9"	6'9"	6'9"
Interior Length:	13'3"	15'3"	17'3"
Interior Width:	6'8"	6'8"	6'8"
Interior Height:	5'3"	5'3"	5'3"
Platform Height:	13"	13"	13"
Radial Tire Size/Load Range:	ST205/75R15 C	ST205/75R15 C	ST205/75R15 C
Hitch Ball Size:	2 ⁵ / ₁₆ "	2 ⁵ / ₁₆ "	2 ⁵ / ₁₆ "
Hitch to Top of Ball:	17"	17"	17"
Hitch Weight (% of Curb Weight):	10-15%	10-15%	10-15%
Curb Weight:	2340	2460	2750
GVWR:	7000	7000	7000
Average Payload Capacity:	4660	4540	4250
Rear Ramp Dimensions: W x H:	75" x 61"	75" x 61"	75" x 61"
Side Door Dimensions: W x H:	32" x 54"	32" x 54"	32" x 54"
Tube Main Rails:	2" x 3"	2" x 3"	2" x 3"
12 Volt End Connector:	7-way	7-way	7-way

Specifications, features & available options subject to change without notice.



Model RFVMC7X162

12'



Model RFVMC7X122

ENGINEERING

- 1) ATP Covered Rear Ramp Door (optional)
- 2) ATP Covered 16" Ramp Extension (optional)
- 3) Torflex® Rubber Torsion Suspension
- 4) LED Tail Lights
- 5) White Vinyl Sidewall Liner
- 6) White Vinyl Ceiling Liner
- 7) 32" Pre-Framed Side Door with Flush Lock
- 8) Rubber RTP Floor Covering
- 9) .080 Ramp Door Hinge Cover
- 10) Recessed Beavertail

- 11) Drop-Down Stabilizer Jacks
- 12) Dexter® Nev-R-Adjust Self Adjusting Brakes
- 13) 15" Radial Tires
- 14) Black Star Aluminum Wheels (optional)
- 15) Smooth Aluminum Fenders
- 16) Chrome Bottom Panels
- 17) Chrome Rear Header and Corners
- 18) .030 Bonded Aluminum Exterior
(shown with optional Multi-Color Exterior: Black/Orange)

- 19) Custom Tribal Graphics
- 20) Flow-Thru Sidewall Vents


MORE STANDARD FEATURES (Not Shown)

- Removable Wheel Chocks, Floor D-Rings & Wall Tie-Offs
- Rubber RTP Covered Rear Ramp Door, Ramp Deck & Extension
- Silver Spoke Wheels with ABS Chrome Center Cap & Trim Ring
- 12v Dome Lights with Wall Switch
- Chrome Nose
- 24" ATP Stoneguard



EXTERIOR COLORS

.030 Prefinished Aluminum Skin



Skin colors shown are representative only. See your dealer for accurate samples.

*Certain special colors available at additional charge.



facebook.com/WellsCargoTrailer
twitter.com/WellsCargo



BY UNIVERSAL TRAILER

©Wells Cargo, Inc. 2012 LITHO USA Form RFVMC0512-R1116

www.wellscargo.com

Elkhart, IN
Ogden, UT

Waco, TX
McAdoo, PA